

Hepatology COVID-19 Registry Week 5 Report

7 new cases added to the report since last week

	Chronic liver disease (N=16)	Post-liver transplantation (N=12)
Gender (%)	Female = 8 (50%)	Female = 7 (58.3%)
	Male = 8 (50%)	Male = 5 (41.6%)
Median Age (yr) at time of COVID	6.5 (0.16-20)	7.5 (0.5-21)
diagnosis (range)	Biliary atresia = 6	Biliary atresia = 7
Etiology of liver disease	NAFLD = 4	Acute liver failure = 2
		Metabolic disorders = 1
	Autoimmune hepatitis = 2 Metabolic disorder = 1	Tumor = 1
	Others* = 3	Others** = 1
Highest level of care	Others' = 3	Others = 1
Outpatient	5	7
Hospital floor	8	4
ICU	3	1
Immunosuppression at time	Azathioprine = 2	Tacrolimus = 11
of COVID diagnosis	No Immunosuppression = 14	Sirolimus = 1
(*some patients were on multiple		Steroids = 5
agents)		Mycophenolate Mofetil = 5
		Cyclosporine =1
Specific Treatment for COVID	Hydroxychloroquine + Azithromycin = 3	Azithromycin = 1
(*some patients were on multiple	IVIG = 2	Hydroxychloroquine = 2
agents)	Azithromycin =1	IVIG = 1
	Tocilizumab + Sarilumab = 1	Favipiravir = 1
	Rocilizumab Sarilumab = 1	
	Remdesivir = 1	
	Convalescent Plasma = 1	
	Steroids = 2	
	Anticoagulation = 1	
	Anakinra = 1	
	Eculizimab = 1	
Highest respiratory support		
None	10	10
Nasal cannula/CPAP/BiPAP	2	1
Mechanical ventilation	2	0
High Frequency Oscillatory	1	0
ventilation		
Pending information	1	1
Final clinical outcome		
Death	0	0
Recovery	11	8
Still active in clinical course	4	2
Pending information	1	2
Liver related Complications	Ascites = 5	-
	Portal Hypertension Bleeding =1	


 * Others CLD: idiopathic cholestasis, GVHD/vanishing bile duct syndrome (Post BMT), IFALD with biliary obstruction

^{**} Others PLT: IFALD/ microvillus inclusion disease

One recipient had multivisceral transplantation


² patients deleted from previous report due to duplication in registry

Presenting symptoms at time of diagnosis



^{*}Constitutional symptoms reported: Loss of smell/taste , fever, myalgia, fatigue, sore throat # Other symptoms reported: Malaise, anorexia, headache, rash, Kawasaki disease like presentation

Change done to Immunosuppressive agent (Post LT)



^{*}Stopped, decreased the dose, others and No changes Commonest agent **stopped**: Mycophenolate Mofetil